

# **PUBLISHING WEB UI USER GUIDE**

The logo for StiboSystems, featuring the company name in a white sans-serif font with a small crown-like icon above the 'i' in 'Stibo'. It is positioned on a large orange triangle that points to the right.

**StiboSystems**

STEP Trailblazer 8.1

# Table of Contents

---

<b>Table of Contents</b> .....	<b>2</b>
<b>STEP Publishing Web UI</b> .....	<b>4</b>
<b>Print on Demand</b> .....	<b>5</b>
Creating a new Print on Demand Publication .....	5
Set Publication Options .....	6
Manage Products .....	7
Review Publication .....	9
Review a saved Print on Demand Publication .....	10
Creating a New Print on Demand Publication based on an Existing Publication .....	10
Print on Demand Configuration Options .....	11
Email PDF to User .....	11
Show Review Publication Wizard Step .....	11
Show Template Previews .....	12
<b>Actual Page Viewer</b> .....	<b>13</b>
<b>Proof View</b> .....	<b>15</b>
<b>Page Revision Comparisons</b> .....	<b>17</b>
Summary .....	17
Details .....	17
Considerations and Limitations .....	18
<b>Working with Commercial Data in the Publishing Web UI</b> .....	<b>20</b>
Configuring the Commercial Data Component in Web UI .....	20
Importing Commercial Data in Web UI .....	26
Importing the Commercial Data Spreadsheet .....	28
Editing Commercial Data in Web UI .....	28
Editing Terms .....	29

---

Limitations and Considerations .....30  
For More Information .....30

## STEP Publishing Web UI

The purpose of the STEP Publishing Web UI is to enable users to generate JPEG and PDF proofs of products and review publications. This can be done for an individual product or for a selection of products to form a publication.

The Publishing Web UI also supports Publication Excel imports, side-by-side comparison of page revisions, and limited Flatplanner functionality.

The following are the main areas of functionality within the STEP Publishing Web UI:

- Print on Demand
- Actual Page Viewer
- Planned Page Viewer
- Proof View
- Revision Compare
- Publication Excel import

For information on importing Publication Excel files in Web UI, see **Importing Publications in Excel** in the **STEP'n'design** documentation.

---


**Note:** Supported versions of Adobe InDesign are CS6, CC 2015 (CC11), and CC 2015.4 (CC11.4.0, June 2016 release).

---

# Print on Demand

To access the Print on Demand functionality, select the Print on Demand tab in the left hand side panel. You can create a new Print on Demand publication by selecting the “+” icon. Existing publications can be reviewed by selecting them in the Review Publications tree.

EN All All ▾ Main ▾ My Settings Logout



## Creating a new Print on Demand Publication

Select the “+” icon. This will display the Print on Demand Wizard for creating a new Print on Demand Publication with the following steps available:

# Set Publication Options

The screenshot shows the 'Set Publication Options' step of a wizard. On the left, a sidebar contains a 'Tree' view with options like 'Print on Demand' and 'Review Publications'. The main area has three form fields: 'Publication Name' (filled with 'Documentation'), 'Start on Page' (filled with '4'), and 'Template' (a dropdown menu showing 'Flyer'). Below these is a preview area with three sections: 'Main Catalogue', 'Brochure', and 'Flyer', each displaying a grid of thumbnail images. A 'Next' button is located at the bottom right of the preview area.

In this step of the wizard, you must specify a Publication Name for your new publication, specify a page number for the publication to start on and select a Template to base the publication on. A template can be selected by either using the template selection dropdown menu or by selecting from the template thumbnails. The template selection dropdown supports selection of the template by typing the first few letters of the template name.

Once a Publication Name and Template have been specified, the “Next” button will become enabled. Pressing this will take you to the Next step of the wizard.

# Manage Products

**Tree**

**Print on Demand**

+ Print on Demand Publication

**Review Publications**

Select an existing publication to review or edit the publication and generate a new PDF. Note: This tree has been configured to show the top level publication group but can be modified to show a sub-group instead.

> Publications

---

Search

Basket (4)

Downloads

1. Set Publication Options > 2. Manage Products > 3. Review Publication

Select All Clear Selection Add Items Remove Items Move Up Move Down


Thumbnail	Name	ID	Path
	Möbelhjul dubbellänkhjul typ KP	BBtool_BB5487	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ dubbellänkhjul typ KP
	Länkhjul typ AO 36	BBtool_BB5492	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ typ AO 36
	Plasthjul fasthjul typ FPR 86	BBtool_BB5470	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ fasthjul typ FPR 86
	Ottomanhjul typ FWR	BBtool_BB5457	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ typ FWR
	Plastlänkhjul typ FP 86	BBtool_BB5469	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ typ FP 86
	Möbelhjul bromshjul typ BKP	BBtool_BB5494	Primary Product Hierarchy/Customer Cases/BBTool PIMautopage/BBTools Arbetsplatsutrustning/Transp (BBtool_5448)/Transporthjul/ typ BKP

1-9 of 9

**Back** **Next**

In this step of the wizard, you can add or remove items from your publication and change the order in which they will be paginated.

Selecting “Add Items” pops up a node chooser to allow you to browse or search for the Products, Assets or Classifications you wish to add to the publication. Multiple items can be added at the same time by using either Ctrl-Click or Shift-Click in the Browse tree.



Items can be removed from the list to be paginated by selecting item(s) from the item list and then selecting “Remove Items”.

To change the order of the items in the pagination list, select the items you wish to move up or down the list and then select “Move Up” or “Move Down”

Once items have been added to you publication, the “Next” button will become enabled. Pressing this will take you to the next step of the wizard.

To go back to the previous stage of the wizard, press the “Back” button.

# Review Publication

**Tree**

**Print on Demand**

+ Print on Demand Publication

**Review Publications**

Select an existing publication to review or edit the publication and generate a new PDF. Note: This tree has been configured to show the top level publication group but can be modified to show a sub-group instead.

> Publications

---

Search

Basket (4)

Downloads

1. Set Publication Options > 2. Manage Products > 3. Review Publication

Publication Name: Documentation

PIM Autopage

4 / 1/3

4

5

6

INBREDNING

**GIGANT**

Massehjulet dubbeltrådet typ KP

Udviklet til brug på motoriserede køretøjer, alt højtryk, højhastighed, skralde og i lagere og bygninger. Høje lastevindinger og stor bremsekraft.

Pris	Hjul diameter	Skævhed	Hjul tykkelse	Indlednings diameter	Indlednings skævhed	Max. vægt
5550005	25 mm	20 mm	30 mm	200 mm	5 mm	10 kg
5550006	25 mm	20 mm	30 mm	180 mm	5 mm	10 kg

**Lærnehjul typ AG 3R**

Det populære og pålidelige lærnehjul anvendes til alle typer køretøjer og maskiner. Det er let og nemt at montere og vedligeholde. Det er også meget holdbart og har en lang levetid.

Pris	Hjul diameter	Skævhed	Duggulde	Flæthedsvinkel	Flæthed diameter	Størrelse
7204-0101	W mm	30 mm	15 mm	15 mm	15 mm	4 kg
7204-0210	75 mm	20 mm	102 mm	15 mm	15 mm	23 kg
7204-0304	100 mm	20 mm	102 mm	15 mm	15 mm	40 kg
7204-0407	125 mm	20 mm	102 mm	15 mm	15 mm	20 kg
8204-0104	W mm	30 mm	15 mm	15 mm	15 mm	4 kg
8204-0210	75 mm	20 mm	102 mm	15 mm	15 mm	23 kg
8204-0304	100 mm	20 mm	102 mm	15 mm	15 mm	40 kg

**Flashede hjul typ FFR 3R**

Det populære og pålidelige flashede hjul anvendes til alle typer køretøjer og maskiner. Det er let og nemt at montere og vedligeholde. Det er også meget holdbart og har en lang levetid.

Pris	Hjul diameter	Skævhed	Duggulde	Flæthedsvinkel	Flæthed diameter	Størrelse
11010037	25 mm	22 mm	33 mm	45-55 mm	5 mm	23 kg
11010036	25 mm	22 mm	33 mm	35-45 mm	5 mm	23 kg

**Offensivthjul typ I WII**

Offensivthjul til brug på motoriserede køretøjer, alt højtryk, højhastighed, skralde og i lagere og bygninger. Høje lastevindinger og stor bremsekraft.

Pris	Hjul diameter	Skævhed	Duggulde	Flæthedsvinkel	Flæthed diameter	Størrelse
11010035	25 mm	22 mm	33 mm	45 mm	5 mm	23 kg
11010034	25 mm	22 mm	33 mm	35 mm	5 mm	23 kg
11010033	25 mm	22 mm	33 mm	45 mm	5 mm	23 kg
11010032	25 mm	22 mm	33 mm	45 mm	5 mm	23 kg

Back
Get PDF
Save & Finish
Finish

In this step of the wizard you can review the publication, retrieve a PDF of the publication and save it.

To review a page of the publication, choose a version to review from the Version dropdown and then choose a page to review by either typing a page number into the page number field or using the left and right arrow page navigator icons or selecting the page thumbnail in the left hand column. A JPEG of the selected page is shown on the right hand side of the screen. This preview can be zoomed in and out by placing the cursor over the image and scrolling the mouse wheel.

To retrieve a PDF of the publication, select the “Get PDF” button.

The publication can be saved by selecting the “Save & Finish” button or can be discarded by selecting the “Finish” button. Selecting “Save & Finish” will display a tree browser from which the user can select where in the publication hierarchy to save the publication. Pressing either of the “Save & Finish” or the “Finish” button will take the user back to the portal home page.

To go back to the previous stage of the wizard, press the “Back” button.

## Review a saved Print on Demand Publication

**Tree**

**Print on Demand**

+ Print on Demand Publication

**Review Publications**

Select an existing publication to review or edit the publication and generate a new PDF. Note: This tree has been configured to show the top level publication group but can be modified to show a sub-group instead.

- Publications
  - Auto Test Publications
  - Customer Cases
  - Market Publishing Group
  - Module Mount
  - Print on Demand
    - PortalPublications
      - Documentation**
        - PortalPublicationTypes
        - PrintOnDemand\_AutoTest
        - Stibo Area
        - Top Publication

Search

Basket (4)

Downloads

1. Set Publication Options > 2. Manage Products > 3. Review Publication

Publication Name: Documentation

PIM Autopage

4 1/3

4

5

6

**GIGANT**

Massebil dubbeltrøskel typ KP

Udviklet til brug på industri og i transportindustri. Høje lastevindinger. Stærkt og slidstærkt. Gennemsnitlig vægt 10 kg.

Pris	Hjul diameter	Størrelse	Hjul type	Portåbningstid	Portåbning diameter	Vægt
1151005	25 mm	20 mm	30 mm	200 mm	5 mm	10 kg
1151006	25 mm	20 mm	30 mm	180 mm	5 mm	10 kg
1151007	25 mm	20 mm	30 mm	200 mm	5 mm	10 kg

**1-trøskel typ AG 2R**

1-trøskel med pløjetilredning. Høje lastevindinger. Høje portåbningstider. Stærkt og slidstærkt. Gennemsnitlig vægt 10 kg.

Pris	Hjul diameter	Størrelse	Dygtighed	Portåbningstid	Portåbning diameter	Vægt
7704-0101	25 mm	20 mm	10 mm	10 mm	1 mm	4 kg
7704-0201	25 mm	20 mm	10 mm	10 mm	1 mm	2 kg
7704-0301	25 mm	20 mm	10 mm	10 mm	1 mm	4 kg
7704-0401	25 mm	20 mm	10 mm	10 mm	1 mm	2 kg
8306-0201	25 mm	20 mm	10 mm	10 mm	1 mm	2 kg
8306-0301	25 mm	20 mm	10 mm	10 mm	1 mm	2 kg

**Fløjtrolle med typ FFR 02**

Fløjtrolle med pløjetilredning. Høje lastevindinger. Høje portåbningstider. Stærkt og slidstærkt. Gennemsnitlig vægt 10 kg.

Pris	Hjul diameter	Størrelse	Dygtighed	Portåbningstid	Portåbning diameter	Vægt
1101001	25 mm	22 mm	10 mm	45 mm	5 mm	2 kg
1101002	25 mm	22 mm	10 mm	45 mm	5 mm	2 kg

**1-trøskel typ I W1**

1-trøskel med pløjetilredning. Høje lastevindinger. Høje portåbningstider. Stærkt og slidstærkt. Gennemsnitlig vægt 10 kg.

Pris	Hjul diameter	Størrelse	Dygtighed	Portåbningstid	Portåbning diameter	Vægt
1101003	25 mm	22 mm	10 mm	45 mm	5 mm	2 kg
1101004	25 mm	22 mm	10 mm	45 mm	5 mm	2 kg
1101005	25 mm	22 mm	10 mm	45 mm	5 mm	2 kg

From the Review Publications section of the Print on Demand tree, browse to the publication you wish to review and select it. This will display the publication in Step 3 (Review Publication) of the Print on Demand wizard.

From here you can choose to “Get PDF” for the publication which will retrieve a PDF of the publication or you can modify the publication by choosing the “Back” button to take you to the previous steps of the wizard. The “Save and Finish” will save any changes that have been made to the publication and take the user back to the portal home page.

## Creating a New Print on Demand Publication based on an Existing Publication

Selecting an existing publication to review and then selecting the “+” icon to create a new Print on Demand Publication will pre-populate the item collection in Step “2 Manage Products” of the Create New Publication wizard with the items that were in the originally selected existing publication. This allows the user to create a new publication based on an existing publication.

© Stibo Systems - Confidential - STEP Trailblazer 8.1

10

## Print on Demand Configuration Options

The Print on Demand portal has various configuration options that are available to the Portal Designer. The key configuration options are listed here. Please view the Print On Demand portal in Design Mode for further options.

The image displays two screenshots of the 'Properties' window in Design Mode. The left screenshot shows the 'PrintOnDemand' properties, and the right screenshot shows the 'NodeList' properties. A red arrow points from the 'NodeList' component in the left screenshot to the 'NodeList' properties window on the right.

**PrintOnDemand properties**

Component Description: A component for getting a PDF of a selection of products based on a Publication Type. Component is experimental and subject to change, use with care

Component status: [ ]

BackButtonCssClass: [ ]

BackButtonText: [ Back ]

EmailPDFMessage: [ PDF will be emailed to {0} ]

EmailPDFToUser: [  ]

FetchPDFProgressMessage: [ Fetching PDF ... ]

FinishButtonCssClass: [ ]

FinishButtonText: [ Finish ]

ManageProductsStepLabel: [ 2. Manage Products ]

NextButtonCssClass: [ ]

NextButtonText: [ Next ]

PDFButtonCssClass: [ ]

PDFButtonText: [ Get PDF ]

PDFProfile: [ ]

PaginationProgressMessage: [ Creating publication "{0}" using temp ]

PublicationNameLabel: [ Publication Name: ]

PublicationTemplateGroup\*: [ PortalPublicationTypes ]

ReviewPublicationStepLabel: [ 3. Review Publication ]

SaveAndFinishButtonCssClass: [ ]

SaveAndFinishButtonText: [ Save & Finish ]

SavePublicationRoot: [ ] [ Clear ]

SetPublicationOptionsStepLabel: [ 1. Set Publication Options ]

StartPageDefaultValue: [ 1 ]

StartPageLabel: [ Start on Page: ]

TempPublicationGroup\*: [ PortalPublications ]

TemplateLabel: [ Template: ]

showReviewPublicationWizardStep: [  ]

showSaveOption: [  ]

showTemplatePreviews: [  ]

**Child components**

NodeList: [ NodeList ] [ go to component ]

**NodeList properties**

Component Description: Shows a list of nodes in one or several display modes. A detail panel can be added to the display modes for showing editors for the selection.

AssetSelectionScreen: [ <Select a screen> ] [ Add ]

ClassificationSelectionScreen: [ <Select a screen> ] [ Add ]

Clear Selection: [ Clear Selection ]

EmptySelectionScreen: [ <Select a screen> ] [ Add ]

EnableDefaultSorting: [  ]

EntitySelectionScreen: [ <Select a screen> ] [ Add ]

Hide SelectionButtons: [  ]

ID \*: [ PODNodeList ]

LookupScreenTypeForNavigation: [  ]

Multi SelectHelpText: [ ]

Multi Selection Screen: [ <Select a screen> ] [ Add ]

ObjectTypeScreenMapping: [ ] [ Add... Edit... Remove ] [ Up Down ]

Page Size: [ 25 ]

ProductSelectionScreen: [ <Select a screen> ] [ Add ]

SelectAllLabel: [ Select All ]

ToolBarHeight: [ 30 ]

**Child components**

DisplayModes: [ TableDisplayMode ] [ GalleryDisplayMode ] [ FilmStripDisplayMode ] [ Add... Remove Up Down ]

Actions: [ AddPrintOnDemandItemsAction ] [ RemovePrintOnDemandItemsAction ] [ MoveItemsAction ] [ MoveItemsAction ] [ Add... Remove Up Down ]

### Email PDF to User

If set, selecting 'Get PDF' will email the PDF to the user instead of returning it directly to the browser. The default setting is to return the PDF directly to the user.

### Show Review Publication Wizard Step

This controls whether Step “3 Review Publication” is shown as part of the Print on Demand wizard.

## **Show Template Previews**

This controls whether Template Previews are shown in Step “1 Set Publication Options” of the Print on Demand wizard.

# Actual Page Viewer

To access the Actual Page View functionality, from the Tree on the left hand side, select a DTP document from within a publication.

EN All ▾ Main ▾ My Settings Logout

The screenshot displays the 'Actual Page Viewer' interface. On the left is a 'Tree' view showing a hierarchy of publications and sub-sections. The main area is titled 'DTP Document' and shows a preview of a page with a table of specifications for various products. Below the preview is a 'Products' table with columns for ID, Name, and Spaced Used.

Price	Hurtdiameter	Bætteldi	Brygghiti	Færnikuvæðing	Færnikv. diameter	Bálgur
10543015	20 mm	18 mm	30 mm	2-færnik	2 mm	14 kg
10343041	40 mm	40 mm	11 mm	13x11 mm	3 mm	10 kg
10662022	25 mm	40 mm	24 mm	25x22 mm	3 mm	40 kg

Price	Hurtdiameter	Bætteldi	Brygghiti	Færnikuvæðing	Færnikv. diameter	Bálgur
7700 0100	17 mm	16 mm	16 mm	11 mm	11 mm	45 kg
7700 0010	19 mm	20 mm	16 mm	11 mm	11 mm	36 kg
7700 0008	17 mm	17 mm	13 mm	11 mm	11 mm	45 kg
7700 0007	15 mm	17 mm	16 mm	11 mm	11 mm	25 kg
4204 0109	20 mm	16 mm	16 mm	11 mm	11 mm	41 kg
4204 0104	17 mm	17 mm	16 mm	11 mm	11 mm	53 kg
4204 0007	15 mm	17 mm	13 mm	11 mm	11 mm	46 kg

Price	Hurtdiameter	Bætteldi	Brygghiti	Færnikuvæðing	Færnikv. diameter	Bálgur
11013072	16 mm	15 mm	15 mm	4x4 mm	6 mm	15 kg
11013004	47 mm	28 mm	18 mm	18x18 mm	7 mm	11 kg

Price	Hurtdiameter	Bætteldi	Brygghiti	Færnikuvæðing	Færnikv. diameter	Bálgur
11013010	20 mm	17 mm	17 mm	4 mm	4 mm	13 kg
11013024	22 mm	17 mm	15 mm	38 mm	42 mm	17 kg
11013032	17 mm	17 mm	15 mm	16 mm	13 mm	20 kg
11013002	16 mm	17 mm	15 mm	16 mm	14 mm	16 kg

ID	Name	Spaced Used
BBtool_BB5457	Ottomanhjúl typ FWR	4885,16 mm²
BBtool_BB5470	Plasthjúl fasthjúl typ FPR 86	3562,14 mm²
BBtool_BB5487	Möbelhjúl dubbellámkhjúl typ KP	4136,69 mm²
BBtool_BB5492	Lámkhjúl typ AO 36	7647,10 mm²
BBtool_TT116130105	116130105	190,43 mm²
BBtool_TT116130204	116130204	197,31 mm²
BBtool_TT116130303	116130303	197,31 mm²
BBtool_TT116130402	116130402	197,31 mm²
BBtool_TT116150707	116150707	201,83 mm²
BBtool_TT116150806	116150806	201,83 mm²
BBtool_TT58540305	56540305	193,49 mm²

To review an actual page of the publication, choose a version to review from the Version dropdown and then choose a page to review by either typing a page number into the page number field or using the left and right arrow page navigator icons or selecting the page thumbnail in the left hand column. A JPEG of the selected page is shown on the right hand side of the screen. This preview can be zoomed in and out by placing the cursor over the image and scrolling the mouse wheel.

Selecting the Products, Assets or Notes tab at the bottom of the screen will show more information about the content mounted on the actual page. From each of these tabs, selecting an entry in the table will highlight the selected content on the page.


**Tree**

- Image Hierarchy
- Primary Product Hierarchy
- Publications
  - Auto Test Publications
  - Customer Cases
  - Market Publishing Group
  - Module Mount
  - Print on Demand
  - PortalPublications
    - Documentation
      - PIM Autopage
        - Sub Section
          - Möbelhjul dubbellänkhjul
          - Länkhjul typ AO 36
          - Plasthjul fasthjul typ FPI
          - Ottomanhjul typ FWR
          - Plastlänkhjul typ FP 06
          - Möbelhjul dubbellänkhjul
          - Möbelhjul bromshjul typ
          - Hjul Lösl Typ 36 NylonK
          - Transporthjul
        - 4-Sub-Section
        - 6-Sub-Section
      - PortalPublicationTypes
      - PrintOnDemand\_AutoTest
      - Stibo Area
      - Top Publication

**DTP Document**

PIM Autopage

4 / 12



There are no notes for this page

**Products** | Assets | Notes | Attribute

ID	Name	Spaced Used
BBtool_BB5457	Ottomanhjul typ FWR	4885.16 mm²
BBtool_BB5458	Möbelhjul dubbellänkhjul typ KP	4136.69 mm²
BBtool_BB5482	Länkhjul typ AO 36	7647.19 mm²
BBtool_TT116130105	116130105	190.43 mm²
BBtool_TT116130204	116130204	197.31 mm²
BBtool_TT116130303	116130303	197.31 mm²
BBtool_TT116130402	116130402	197.31 mm²
BBtool_TT116150707	116150707	201.83 mm²
BBtool_TT116150806	116150806	201.83 mm²
BBtool_TT56540305	56540305	193.49 mm²

Print on Demand

Search

Basket (4)

Downloads

**Note:** It is also possible to review all actual pages within a publication or section. It require the Actual Page View functionality has been configured for these objects as well.

# Proof View

To access the Proof View functionality, from the Tree on the left hand side, select a product then select the Proof tab.

EN All All ▾ Main ▾ My Settings Logout

**Tree**

- > Image Hierarchy
- > Primary Product Hierarchy
  - > (SAAR - Product Group)
  - > Automated Test Products
  - > Customer Cases
    - > Trafalgar
    - > Patterson
    - > Hach Lange
      - > Minor-p401
      - > AMTAX sc AMMONIA ANALYZ
      - > 36115 --- AMTAX sc AMMONIA
  - > Xerox
  - > MEC
  - > Thomas Cook
  - > BBT001 PIMAutopage
  - > Nisbets
  - > GDSN Top
  - > Google Products
  - > Market Publishing
  - > PM Module Editor
  - > Static Product Structures
  - > Stibo Area
  - > Supplier Portal Products
  - > Test Product Group
  - > TORJ
  - > TORJAC.Product Group
- > Publications

Print on Demand

Search

Basket (4)

Downloads

**Product Details**

Default Product Details | References and Classifications | Referenced By | Images and Documents | **Proof**

Publication: Hach Lange Pub (Hach Lange (master)) | Template: Template1 | [Set as default](#) | [PDF](#)

**AMTAX sc AMMONIA ANALYZER WITH Filterprove sc UPDATE**

- 5-minutes response time, including sample preparation
- Easy installation at the measurement point
- Plug-and-play with the sc1000 controller
- Low maintenance
- Optional Filterprobe sc available for instu membrane filtration




The Hach AMTAX sc Ammonia Analyzer measures NH<sub>4</sub>-N concentrations as low as 0.05 mg/L and as high as 1000 mg/L. When a fast, 5-minute response time, it enhances control of the nutrient removal process. This is "black box" system - you get transparent, high quality measurements for reliable values (dj9j)

Article No.	Description	Price
6157300	<b>AMTAX sc Ammonia Analyzer</b> 0.05 to 20 mg/L, 115 Vac; includes filtration probe with 10 m heated hose	15889.00
6157200	<b>AMTAX sc Ammonia Analyzer</b> 0.05 to 20 mg/L, 115 Vac; includes filtration probe with 5 m heated hose	15235.00
6157900	<b>AMTAX sc Ammonia Analyzer</b> 10 to 1000 mg/L, 115 Vac; includes filtration probe with 10 m heated hose	15886.00
6157800	<b>AMTAX sc Ammonia Analyzer</b> 10 to 1000 mg/L, 115 Vac; includes filtration probe with 5 m heated hose	15232.00
6158500	<b>AMTAX sc Ammonia Analyzer</b> 1 to 100 mg/L, 115 Vac; includes filtration probe with 10 m heated hose	15883.00
6158400	<b>AMTAX sc Ammonia Analyzer</b> 1 to 100 mg/L, 115 Vac; includes filtration probe with 5 m heated hose	15235.00

For two-channel version of the AMTAX sc Ammonia Analyzer, please contact your Hach representative or call 1-800-227-4224

Save | Reset | Approve | Delete

From here, the user can select a publication version to base the proof on by using the Publication Version "...” chooser.



A template to use for the proof can be chosen from the Template dropdown.

Once a publication version and a template have been selected, a JPEG proof is automatically generated and is displayed in the centre of the screen. The JPEG proof can be zoomed in or out by placing the cursor over the image and using the mouse scroll wheel.

A PDF proof can be generated by selecting the PDF icon.

The user can set a template as the default template for the product selected in the tree by pressing the “Set as default” button.

---

**Note:** More of the proof view options can be hidden for the users, if the same selection are always used. For example, a publication version can be configured as default version and the user don't need to make that selection.

---


# Page Revision Comparisons

## Summary

The Publishing Web UI supports Revision Compare functionality for both Actual Pages and Flatplanner Planned Page spreads. This allows end users to easily compare page revisions by highlighting where changes have occurred.

## Details

The 'Revision Compare' toolbar enables viewing of the latest page revision on the left half of the screen and a previous revision on the right. The previous revision to compare to can be selected from the Previous Revision dropdown and differences can be highlighted by selecting the 'Show Differences' checkbox. This will result in the differences being highlighted on the latest revision while areas that have not changed are grayed out.




The system determines the differences between the two pages by looking at textual content changes and differences in space usage data. Text changes are highlighted whether the changes are made 'freehand' on mounted pages or if they originate from attribute value changes in STEP.

The Revision Compare functionality is available in the Publishing Web UI in the following components:

- Actual Page Revision Compare Proof
- Planned Spread Revision Compare Proof
- Planned Spread Revision Compare In Workflow

The Show Revision Toolbar option must be checked to enable the new functionality. If the box is not checked, the Revision Toolbar is not displayed and only the most recent page revision is visible.



For more information on Flatplanner Planned Page spreads and Actual Pages see the **Overview of the Flatplanner User Interface** section of the **Flatplanner** documentation.

## Considerations and Limitations


- As of STEP 7.4, the Actual Page Revision Compare Proof, Planned Spread Revision Compare Proof, and Planned Spread Revision Compare In Workflow Web UI components automatically replace the previous Actual Page Proof, Planned Spread Proof, and Planned Spread In Workflow components.
- Planned pages must be mounted in InDesign and saved back to STEP before the Revision Compare functionality is enabled. Content changes to unmounted Planned Pages, e.g., replacing the content of a Flatplan frame, will not be highlighted as revisions.

- Users who have both a Flatplanner and Web UI license may compare revisions of mounted pages both from the Planned Spread Navigator and from the Actual Page Navigator in the Web UI. Users with a standard STEP Publisher (STEP'n'design) license can compare revisions of mounted pages from the Actual Page Navigator only.
- Though the Revision Compare feature highlights changes in textual content, this feature is primarily designed to highlight differences in space usage between the two revisions. It does not highlight changes in images, frame colors, paragraph styles, or layouts if the space usage remains the same.

# Working with Commercial Data in the Publishing Web UI

Commercial data (commercial terms lists) may be imported, viewed, and edited in the Publishing Web UI.

This is accomplished by adding the **Commercial Terms Editor** component to the Node Editor for publication objects. Available as a Node Editor child component, the Commercial Terms Editor is intended to use only on Node Editor configurations used to work with publication objects.




Visible term fields for commercial data lists in the Web UI are the same as those in the workbench: Value, Unit, Min Quantity, Max Quantity, Start Date, and End Date.

The following sections of this topic explain how to configure, import, and edit commercial data terms lists in the Publishing Web UI.


## Configuring the Commercial Data Component in Web UI

Follow these steps to configure the commercial data terms lists component in the Publishing Web UI:


1. In your Publishing Web UI, navigate to a publication object in the publication hierarchy.
2. With the publication object selected, enter design mode.
3. In the dropdown list that appears in the upper left corner of the Web UI Designer, the screen ID for the Node Details screen created for publication objects should already be selected. In this example, this screen is named **publicationdetails**.



- 4. In Child Components > Main, make sure that **Tab Control** is selected. Click 'go to component.' The Tab Control component appears in the designer.
- 5. Under Child Components > Tab Pages, click **Add**.




6. In the **Add component** dialog that displays, select **Tab Page**, then click **Add**.




7. Double click on the newly created tab page in the Tab Pages list. **Tab Page Properties** displays.


8. In the Title field, add a descriptive title that should appear on the new tab (for example, Commercial Data). Select **Vertical Panel** as the Tab Content child component.




- 9. Click 'go to component' to display **Vertical Panel Properties**.
- 10. In Child Components > Rows, click **Add**.
- 11. In the **Add component** dialog, select **Commercial Terms Editor**, then click **Add**.





- 12. Double click the **Commercial Terms Editor** component to open **Commercial Terms Editor Properties**.



13. Click the **Add** button in the **Commercial List Object Types** section. The **Select Node(s)** dialog displays.
14. Select the commercial data object type(s) that should be valid in the commercial terms editor. Multiple commercial types may be selected at once by pressing Ctrl or Shift while making selections. Click **OK** when finished.



15. Click the **Add** button in the **Valid Units** section. The **Select Node(s)** dialog displays.
16. Select the unit(s) that should be valid in the commercial terms editor. Multiple units may be selected at once by pressing Ctrl or Shift while making selections. Click **OK** when finished. (Units used in commercial data are typically currency units.)



17. Check the relevant boxes beneath the Valid Units area to configure which headers should display in the commercial data table on the Commercial Terms Editor screen.

ID	Value	Unit	Min Quantity	Max Quantity	Start Date	End Date
----	-------	------	--------------	--------------	------------	----------

18. Click the **Save** and **Close** buttons at the top of the designer to save your configurations and close the designer.

## Importing Commercial Data in Web UI

Commercial data may be imported in the Web UI by using Excel spreadsheets containing the commercial terms information for products in the selected publication.


**Note:** Before commercial data can be imported into a publication in the Web UI, at least one import configuration for commercial data must have already been created on the publication in the workbench. See the **Defining Import Settings for Commercial Data** section of the **Commercial Data** documentation for information on how to configure import configurations for commercial data in the workbench.

The import process is accomplished by using the **Import Commercial Terms** button on the **Publication Node Editor** screen.


## Import Commercial Terms

To add this button to your screen, follow these steps:

1. Navigate to **Node Details Properties** in the designer by following steps 1 - 3 in the previous section of this topic.
2. In the **Child Components** section, select **Buttons** in the Buttons dropdown list, then click 'go to component.'



3. The **Buttons Properties** component displays in the designer. In the **Child Components** area, click the **Add** button. In the **Add component** dialog that displays, select **Import Commercial Terms** from the dropdown list. Click **Add** to close the dialog.




4. Click the **Save** and **Close** buttons at the top of the designer to save your configurations and exit design mode.
5. The **Import Commercial Terms** button is now added at the bottom of the screen.

**Note:** The Import Commercial Terms button is not activated unless you have selected a publication in the Tree area that has at least one import configuration already defined in the workbench.

## Importing the Commercial Data Spreadsheet

Follow these steps to import a spreadsheet containing your commercial terms information:

1. In the Tree area, navigate to the publication into which you would like to import your commercial terms spreadsheet, then navigate to the Commercial Data tab on the **Publication Node Editor** screen.
2. Click the **Import Commercial Terms** button. The **Import Commercial Terms** dialog displays.



3. If the publication has multiple import configurations, select the relevant configuration from the **Import Configuration** dropdown list.
4. Click the **Choose File** button to select the spreadsheet that you would like to import.
5. Select 'Replace entire existing list(s) with content of import file' to remove all contents of the existing list and replace those terms with the contents of the new sheet. Select 'Only update commercial data for objects included in import file' to add new terms and overwrite existing terms for products already on the list.
6. Click **OK** to close the dialog. A background process begins for the commercial terms list import.
7. When the background process successfully completes, the commercial terms are added to the commercial list.

## Editing Commercial Data in Web UI

Once commercial terms have been imported into the commercial data list(s) connected to your publication, both the terms values and configurations of the lists themselves can be edited in the Web UI.

To edit configurations for commercial terms lists in the Web UI, follow these steps:

1. In the Tree area, navigate to the publication that contains the commercial terms that you would like to edit.
2. Navigate to the Commercial Data tab on the **Publication Node Editor** screen, then select the relevant commercial data terms list from the **Select Commercial List** dropdown. The **ID** and the **Object Type** of the list will automatically display.

**Publication**

Publications > Standard Publications > Acme Tools

Details Proof Plan Print On Demand **Commercial Data**

Select Commercial List: Acme Tools Spring Pricing

ID: AcmeToolsSpringPricing

Object Type: Price

Default Unit:

Default Start Date:

Default End Date:

Expiry Date:

Immutable:

- In the **Default Unit** field, choose the default unit from the dropdown list. (This list is populated by the valid units that were selected when the **Commercial Terms Editor Properties** screen in the Web UI designer was configured.)
- For **Default Start Date**, **Default End Date**, and **Expiry Date**, either click in the field and select a date from the popup date picker or manually enter a date that matches the ISO date / time format of **yyyy-MM-dd HH:mm:ss**.
- Check the **Immutable** box to make the values of the terms list uneditable by any user.

**Editing Terms**

To edit the values of terms lists, follow these steps:

- Click the node picker button to the right of the **Product** (product search) field to locate a product in your commercial list.

Product:  

ID	Value	Unit	Min
----	-------	------	-----

- In the **Select Product** dialog that displays, either browse to or search for the relevant product, then click **OK**. Note that only one product at a time may be selected.
- The product displays in the commercial data table.

Product: Torque wrench (42304)

ID	Value	Unit	Min Quantity	Max Quantity	Start Date	End Date
Torque wrench	42304	101.99	1	3		

- Contents of the **Value**, **Min Quantity**, and **Max Quantity** fields are typed. The value for **Unit** is chosen from a dropdown list (which contains the valid units that were selected when the **Commercial Terms Editor**

**Properties** screen in the Web UI designer was configured).

The values for **Start Date** and **End Date** can be typed or chosen from a date picker. To view a sample of the required ISO format for the date field(s), select the field and double click. To access the date picker, select the field and triple click.

- To add an additional term for the product, click the add terms icon. An additional term may be needed, for example, to add an additional price for a price break.

	ID	Value	Unit	Min Quantity	Max Quantity
Torque wrench	42304	101.99	\$ (iso4217.unit.USD)	1	3
Torque wrench	42304	89.99	\$ (iso4217.unit.USD)	4	11

- To remove terms, select the row(s) containing the unwanted term(s), then click the remove terms icon. Rows may be multiselected either by pressing Ctrl or Shift while making selections or by checking the 'select all' icon in the upper left (to the left of the product search field).

	ID	Value	Unit	
Torque wrench	42304	101.99	\$ (iso4217.unit.USD)	1
Torque wrench	42304	89.99	\$ (iso4217.unit.USD)	4

- Click the **Save** button at the bottom of the screen to save all changes. Automatic saving while performing edits of commercial terms is not possible in the Web UI.

## Limitations and Considerations

- Terms may be viewed and edited for only one product at a time in the Web UI.
- The toolbar is not configurable. Select / deselect all, product search, and add / remove terms are always shown.

## For More Information

For information on how to configure import configurations for commercial data in the workbench, see the **Defining Import Settings for Commercial Data** section of the **Commercial Data** documentation.

For general information on commercial data in STEP, see **About Commercial Data** in the **Commercial Data** documentation.