

AUTOMATIC CLASSIFICATION USER GUIDE

The logo for StiboSystems, featuring the company name in a white sans-serif font. The 'i' in 'Stibo' has a small cluster of three dots above it. The logo is positioned on the left side of the page, partially overlapping a large orange triangle that points towards the right.

StiboSystems

STEP Trailblazer 8.2

Table of Contents

Table of Contents	2
Automatic Classification	3
Manual Classification	3
Automatic Classification	3
Configuring Automatic Classification	3
To Create a Rule Set Asset Type.	3
To Configure the Auto Classification Component Model	4
Creating Automatic Classification Rules	5
To Create a Rule Set	5
Editing Rule Sets	6
Allow Rules and Link Rules	8
Allow Rules	8
Link Rules	8
To Create or Edit Rules	8
To Add Rule Conditions	9
Multiple Conditions and Multiple Values	10
Editing Rules on Target Objects	10
Using Automatic Classification with Bulk Updates	11
To Create a Collection	11
To Create a Bulk Update Configuration	11
Running a Bulk Update Configuration	12
Using Automatic Classification with Business Actions	13
To Create a Business Action for Automatic Classification	13
To Use a Business Action to Classify Products	14
To Run Automatic Classification on Approval	15

Automatic Classification

In STEP there are multiple approaches to the classification of objects:

- You can organize objects hierarchically in a primary hierarchy (the blue product hierarchy).
- You can organize objects in a classification hierarchy (the yellow hierarchy).
- You can use a reference to connect objects.

You can apply these three classifications manually on individual objects, but you can also apply them automatically on many objects in one setting.

Manual Classification

- You can move an object manually within its primary hierarchy, link it into a classification, or connect it to another object using a reference. This approach works well for small sets of objects. However, for large sets of objects, manual classification is a time-consuming and error-prone task.

For more detailed information about how to manually classify objects, see **Object Types and Structures** in the **System Setup / Super User Guide** documentation.

Automatic Classification

- You can create a set of rules that are used to classify objects automatically. This approach requires that you create one or more rule sets, but once the rule sets have been defined, you can classify many objects automatically with minimal effort.

You can only apply automatic classification to product and entity objects. Products and entities can be moved automatically within their primary hierarchy, and they can be linked automatically into classification hierarchies. References can be maintained automatically if they originate from a product or an entity. It is, for example, possible to maintain product-to-product references, product-to-asset references, entity-to-asset references, and so on.

If you want to apply automatic classification to many objects, you can use a bulk update operation.

It is also possible to automatically classify individual objects using a business action operation. Support for business actions means that automatic classification can also be integrated into a workflow or activated during import.

Configuring Automatic Classification


To be able to use automatic classification, you first create a rule set asset type and then set up the automatic classification component model in System Setup.

To Create a Rule Set Asset Type.

1. In **System Setup**, expand **Object Types & Structures**.
2. Right-click **Assets**, and then choose **New Object Type**.

3. Enter an **ID** and a **Name** for the asset type, and then click **Create**.


The rule set asset type is now listed among the other asset types in the system. If you want to distinguish the rule set from other asset types, you can create a special icon for the rule set.



To Configure the Auto Classification Component Model

Next, you have to specify that assets that use this specific asset type are rule sets. You do this in the automatic classification component model.

1. In **System Setup** expand **Component Models**, and then select **Auto Classification Model**.
2. Click **Edit**. The **Edit Component Model Configuration** is displayed.
3. Click the +icon  next to **Rule Set Types**.
4. Browse or search for the rule you just created, and then click **Select**.



- If you want to display the rules that apply to target objects of a specific object type, click the +icon  next to **Rule Target Editor Types**. Search or browse for the relevant objects, and then click **Select**. When the component model is set up this way, a **Classification** tab is displayed when a relevant target object is selected in the **Tree**. On the **Classification** tab, all rules that apply to the selected target object are displayed.

For more information, see [Editing Rules on Target Objects](#) on page 10.


Creating Automatic Classification Rules

the creation of automatic classification rules is a two-step process where you first create a rule set and then the rules.

before you start to create a rule set, verify that you have created a rule set asset type and configured the automatic classification component model. For more information, see [Configuring Automatic Classification](#).

To Create a Rule Set

- In the **Tree**, right-click the classification where you want to store your new rule set, and then choose **New Asset**. The **Create Asset** dialog appears.



2. Select the relevant asset rule set type.
3. Enter an **ID** and a **Name** for the asset, and then click **OK**.

You now have an empty rule set. Because the asset is of the rule set type, it has a **Rule Set Editor** tab. This is where you specify the automatic classification rules. If this tab is not displayed, verify that you have configured the asset rule type properly.

Editing Rule Sets

The Rule Set Editor is the primary tool for editing of rule sets. A rule set contains general settings, link rules and allow rules.

EntityToClassRuleSet rev.11.0 - Rule Set Editor

Rule Set Editor
Images & Documents
References
Referenced By
Status
State Log
Tasks

General Settings

Select Rule Set Action
Maintain References

Select Reference Type
AC Entity to Class Reference (AC Entity to Class Reference)

Link Rules

#	>	Target	>	Summary	>	Comment
> 1		EntityToClassReference (/AC Product References/AC_EntityReferenc...		AC Entity Validation = 1		
> 2		EntityToClassReference (/AC Product References/AC_EntityReferenc...		AC Entity Validation < 3 AC Entity Validation > 1		

Add Rule

Allow Rules

#	>	Summary	>	Comment	>

Add Rule

Excel

- In the **Rule Set Action** list, you select the type of classification action the rule set supports. There are two options:
 - Move Objects:** Use this action to move objects within their primary hierarchy so that, for example, an object gets a new parent. This action can only be applied to products and entities.
 - Maintain References:** Use this action to maintain references, including references for linking products into the classification hierarchy.

The **Maintain Reference** action may create new references as well as delete existing ones if they are no longer required by the rule set.

- If you have selected **Maintain References**, you must select a reference type.

The selected reference type controls what kind of references the rule set maintains. When an object is classified automatically, new references required by the rule set are created using the specified reference type. Similarly, existing references of the specified reference type are deleted if they are not required by the rule set.

If you do not specify a **Reference Type**, the rule set will only work with certain legacy bulk update operations and business action operations.

Important: We recommend that a reference type is used exclusively for either manual classification or automatic classification.

Automatic classification supports several reference types including product-to-classification link types for linking products into the classification hierarchy and common reference types that allow products or entities as source objects such as product-to-product reference types, product-to-asset reference types, entity-to-asset reference types, and so on.

Allow Rules and Link Rules

A rule set can contain Link rules and Allow rules, and each rule contains a set of rule conditions. An object and a rule are matched when the object meets all conditions of the rule.

Allow Rules

- Use Allow rules to establish high-level criteria for the objects that you want to be classified automatically. An object is automatically classified under the following conditions:
 - A) There are no allow rules in the rule set.
 - or -
 - B) The object matches at least one allow rule. Allow rules are never strictly necessary, but they are useful to define assortments. For example, one allow rule allows "red jeans", another allows "funny hats", and so on. If a product is not a pair of red jeans or a funny hat, it will not be classified, even if it matches a link rule.


Link Rules

- Use Link rules to specify the conditions under which an object should be linked to a specific target object. Link rules are the most common kind of rules. A rule set must contain at least one link rule, otherwise no objects will be classified. A link rule refers to a target object. The target object is either a new parent object, which is the case when objects are moved, or a destination object, which is the case when references are maintained. An object is automatically classified under the following conditions:
 - A) The object matches one or more of the Allow rules in the rule set if there are any.
 - and-
 - B) The object matches the Link rule.

Note: If you are new to automatic classification, we recommend that you start by creating rule sets that only contain link rules. Rule sets that only contain link rules are more flexible to work with, and they are also often easier to understand.


To Create or Edit Rules

- In the Tree, select the relevant rule set (asset).
- On the **Rule Set Editor** tab, click **Add Rule**, or click the **Edit** button to edit an existing rule.



- In the **Edit Rule** dialog, you can perform the following tasks:
 - Specify a link target. This only applies to link rules.
 - Add conditions to a rule.

- Add exceptions to a rule.
- Add a rule comment.



The **Edit Rule** dialog box is shown with the following sections:


- Rule**: Contains a **Target** dropdown menu and a button to **Add Condition**.
- Exceptions**: A section for adding exceptions, with buttons for **Add Exception** and **Add Condition**.
- Comment**: A large text area for entering a comment.

At the bottom right are **Ok** and **Cancel** buttons.

To Add Rule Conditions

You can apply any number of rule conditions to a rule.

1. In the **Edit Rule** dialog, click **Add Condition**.
2. Select a **Condition Type** and browse or search for an **Attribute** if relevant.



The **Add Condition** dialog box is shown with the following fields:

- Condition Type**: A dropdown menu currently showing **= (equal to selected value)**.
- Attribute**: A text field with a browse button (three dots) to its right.

At the bottom are **Ok** and **Cancel** buttons.

The condition type indicates the type of expression that must resolve to true for the condition to be met. Most condition types must be configured with an attribute. However, the Type and Below conditions do not require an attribute.

Condition	Description
=	equal to selected value
<	less than selected value
>	greater than selected value
<=	less than or equal to selected value
>=	greater than or equal to selected value
!=	not equal to selected value
Type	product is of selected type
Below	product is below selected product in the primary product hierarchy

Multiple Conditions and Multiple Values

A rule can have one or more conditions. An object must match all conditions of a rule to match the rule. For example, it is possible to define a rule where "product class must equal jeans and product color must equal black".

Each individual condition can have one or more rules, and an attribute can have one or more values. If multiple values are applied, they work as alternatives. This means that a condition is met if the expression is true for at least one of the alternatives. For example, it is possible to define a condition where "the product class must equal jeans or shoes or ...".

Editing Rules on Target Objects

In some situations, it is useful to view and edit classification rules from the target object. To be able to view rules from the target object, you specify in the automatic classification component model on which object type you want to be able to edit the rules. For more information, see [Configuring Automatic Classification](#).

When you select a relevant object, you can edit the rule targets on the **Classification Rules** tab. It shows all link rules that refer to the selected target.

Product New Location rev.0.1 - Product

Product

Sub Products

References

Referenced By

Images & Documents

Commercial

Tables

Proof View

Classification Rules

Packaging Hierarchy

Status

State Log

Tasks

Link Rules

Rule Set	Target	Summary	Comment
> AC_ProductMoveRuleSet	 Product New Location (/Primary Product Hierarchy/AC Product Move/P...	AC Product Move Validation = 1	
> AC_ProductMoveRuleSet	 Product New Location (/Primary Product Hierarchy/AC Product Move/P...	AC Product Move Validation > 1 AC Product Move Validation < 3	
> AC_ProductMoveRuleSet	 Product New Location (/Primary Product Hierarchy/AC Product Move/P...	AC Product Move Validation >= 6	


On the rule target you can see link rules that belong to different rule sets. This is not possible on the standard Rule Set Editor, which only shows link rule of one rule set. Allow rules are not displayed because they have no target.

Using Automatic Classification with Bulk Updates

The simplest way to perform automatic classification is to use a bulk update. Before you can do so, you must first create a collection of objects to run the bulk update on, and then you must create a bulk update configuration.

To Create a Collection


1. On the **Search** tab, click the plus sign, and then in the **Search list** choose **Search Below**.
2. Click the ellipsis button (...), expand the **Primary Product Hierarchy**, and then select the root of the objects that you want to classify.
3. Click **Search**.
4. Click the collection icon , select a location for the collection, enter an **ID** and a **name**, and then click **Search in background** to save your collection.



To Create a Bulk Update Configuration

The next step is to create a bulk update configuration by using the Bulk Update wizard. For detailed information about the wizard, see Running Bulk Updates in the **Getting Started / User Guide** documentation.

1. In the **Tree**, expand **Collections**.
2. Right-click the collection you just created, and choose **Run Bulk Update**. The **Bulk Update** wizard displays.
3. In step 2, **Operations**, click **Add Operation**, and then choose **Automatic Classification**.
4. In **Rule Set**, click the ellipsis button (...), and then select the **rule set** you want to use.
5. Select the **Use Approved Rule Set** checkbox if you want to use the approved version of the rule set. Otherwise the version in the main workspace will be used.
6. In the **Evaluation Context** list, select the **context** that you want the rule conditions to be evaluated in.



7. Optionally, go to step 2, **Advanced**, and save your bulk update configuration for future use, and then click **Finish**.

It is possible to run the bulk update in **Pre-Flight Mode**. This means you can run the bulk update without committing any modifications. This is useful if you just want to test a rule set.

Running a Bulk Update Configuration

When you have completed the Bulk Update wizard, the **Background Process Status** dialog appears.

- Click **Go to Process**, to display the **Background Process** tab where you can find additional information about the process execution.

Execution Report

```

1 Bulk update background process started (Wed May 21 10:40:03 CEST 2014)
2 Context: EN All All
3 Workspace: Main
4 Commit Mode: Commit
5 Auto Approve: No
6 Collection: All
7 Configuration: CFG1
8 Read bulk update operation configuration successfully (Wed May 21 10:40:03 CEST 2014)
9 Created temporary collection: BGP\_5582\_tmp\_fail (Wed May 21 10:40:03 CEST 2014)
10 Applying operations to dataset (Wed May 21 10:40:04 CEST 2014)
11 [ACP1, operation 1]: Evaluation context: Global
12 Summary (Wed May 21 10:40:04 CEST 2014)
13 2 objects OK. 0 objects failed.
14 1 info messages. 0 warning messages. 0 Error messages.
15 Operations Summary (Wed May 21 10:40:04 CEST 2014)
16 Operation 1: [Auto Classification: RS2]
17 Informational messages: 1
18   1: Evaluation context
19 Counters: 3
20   Number of objects allowed by rule set: 2
21   Number of objects satisfied by at least one link rule: 2
22   Number of references added: 2
23 End of Summary

```

Using Automatic Classification with Business Actions

You can use business actions to automatically classify objects. This approach can be applied in several ways, for example, on approval, during an import, or as a part of a workflow.

The following steps show how you can classify an object automatically on approval using a business action.

Before you can use a business action to classify objects, verify that there is a setup group that holds the business action. If not, you have to create a setup group.


To Create a Business Action for Automatic Classification

1. In **System Setup**, expand **Object Types & Structures**.
2. Right-click **Setup Group type root**, and then choose **New Object Type**.
3. Enter an **ID** and a **Name** such as Business Rules and then click **Create**.
4. Right click the object type you just created, and then create a new object.
5. In **Object Types & Structures**, expand **Basic Object Types**, and then select the **Business Action Type** you just created.
6. On the **References** tab, click **Add Parent**.

7. In the **Select New Parent** dialog, select the setup group you just created, and then click **Select** to make it a valid parent.
8. From the **Maintain** menu, point to **Insert**, and then choose **Setup Group Root**.
9. Select the setup group object type you just created, enter an **ID** and a **Name**, and then click **Create**. An instance of the object type is created in **System Setup**.

To Use a Business Action to Classify Products

1. In **System Setup**, expand the **Business Rules** node, and select the relevant business action.
2. On the **Business Rule** tab, in the **Valid Object Type** field, click the ellipsis button (...), and then select the object types that you want to apply the action to.
3. In **On Approve** click the ellipsis button (...), and then select **Perform Action on Approve**.
4. In the lower left corner, click **Add New Business Action**.
5. Click the **Edit Operation** icon. The Edit Operation dialog is displayed.



6. In **Rule Set**, click the ellipsis button (...), and then select the **rule set** you want to use.
7. Select the **Use Approved Rule Set** checkbox if you want to use the approved version of the rule set. Otherwise, the version in the main workspace will be used.
8. In **Evaluation Context**, select the **context** that you want the rule conditions to be evaluated in.

To Run Automatic Classification on Approval

Once you have set up and defined the automatic classification business action, the relevant products are automatically classified when they are approved.